Author Index

Akporhonor, E. E.
——, Le Vent, S. and Taylor, D. R.
Calculation of programmed temperature gas chromatography characteristics from isothermal data. II. Predicted retention times and elution temperatures 271
Albert, K.
——, Kunst, M., Bayer, E., Spraul, M. and Bermel, W.
Reversed-phase high-performance liquid chromatography–nuclear magnetic resonance on-line coupling with solvent non-excitation 355
Babadjamian, A., see Vidal-Ollivier, E. 227
Balansard, G., see Vidal-Ollivier, E. 227
Ballester, P., see García-Raso, A. 441
Bargnoux, H., see Pinche, C. 201
Bayer, E., see Albert, K. 355
Benická, E., see Repka, D. 243
Berger, J. A., see Pinche, C. 201
Bermel, W., see Albert, K. 355
Bhatnagar, M.
——, Oka, H. and Ito, Y.
Improved cross-axis synchronous flow-through coil planet centrifuge for performing counter-current chromatography. II. Studies on retention of stationary phase in short coils and preparative separations in multilayer coils 317
Biemer, T. A.
Analysis of saccharin, acesulfame-K and sodium cyclamate by high-performance ion chromatography 463
Billard, J. P., see Pinche, C. 201
Billiet, H. A. H., see Herman, D. P. 1
Bitsch, R.
—— and Möller, J.
Analysis of B_6 vitamers in foods using a modified high-performance liquid chromatographic method 207
Bonasia, P. J., see Wenzel, T. J. 171
Bretschneider, W., see Sherma, J. 229
Brewitt, T., see Wenzel, T. J. 171
Brunovská, A., see Repka, D. 235
Carr, P. W., see Rutan, S. C. 21
Ćeranić, T. S., see Marković, M. M. 281
Chen, T.-M.
—— and Coutant, J. E.
Thermospray high-performance liquid chromatographic–mass spectrometric characterization of biological macromolecules. I. Analysis of acid hydrolysate of peptides 95
Cheong, W. J., see Rutan, S. C. 21
Ching, C. B.
——, Hidajat, K. and Rathor, M. N.
Chromatographic evaluation of sorption and diffusion characteristics of glucose, maltose and maltotriose in silica gels 261
Chloupek, R. C.
——, Harris, R. J., Leonard, C. K., Keck, R. G., Keyt, B. A., Spellman, M. W., Jones, A. J. S. and Hancock, W. S.
Study of the primary structure of recombinant tissue plasminogen activator by reversed-phase high-performance liquid chromatographic tryptic mapping 375
Cognet, G., see Devallez, B. 153
Cook, L. A.
——, Hensley, J. L., Miller, E. G. and Tindall, G. W.
Determination of styrene and 2-vinylpyridine monomers in poly(2-vinylpyridine–styrene) 127
Coutant, J. E., see Chen, T.-M. 95
Csató, E., see Szabó, G. 345
Danehower, D. A., see Lawson, D. R. 429
De Galan, L., see Herman, D. P. 1
Devallez, B.
——, Guion, J. and Cognet, G.
Non-steady pressure profiles in chromatographic columns 153
De Vos, D., see Emonds, A. J. G. 445
Deyá, P. M., see García-Raso, A. 441
DiBiase, N., see Sherma, J. 229
Dimov, N.
—— and Milina, R.
Precalculation of gas chromatographic retention indices of linear 1-halogenoalkanes 159
Dittamo, M., see Sherma, J. 229
Doležal, M.
—— and Hradec, J.
Micropreparative separation of transfer ribonucleic acids by high-performance liquid chromatography 409
Dubin, P. L., see Strege, M. A. 165
Elias, R., see Vidal-Ollivier, E. 227
Elvidge, D. A.
——, Johnson, G. W. and Harrison, J. R.
Selective, stability-indicating assay of the major ipecacuanha alkaloids, emetine and cephaeline in pharmaceutical preparations by high-performance liquid chromatography using spectrofluorimetric detection 107

Emonds, A. J. G.
—— and De Vos, D.
Analysis of mucin by isotachophoresis 445
Frasey, A. M., see Pinche, C. 201
Frontera, M. A., see Tombesi, O. L. 452
Furusawa, M., see Kiba, N. 177, 183
Galan, L. de, see Herman, D. P. 1
Gao, C. X.
——, Krull, I. S. and Trainor, T. M.
Determination of volatile amines in air by on-line solid-phase derivatization and high-performance liquid chromatography with ultraviolet and fluorescence detection 192
García-Raso, A.
——, Vázquez, M. A., Ballester, P. and Deyá, P. M.
Heat of solution in a polyethylene stationary phase of several cyclic and bicyclic compounds 441
Grob, R. L., see Loeper, J. M. 365
Guion, J., see Devallez, B. 153
Hancock, W. S., see Chloupek, R. C. 375
Harris, R. J., see Chloupek, R. C. 375
Harrison, J. R., see Elvidge, D. A. 107
Hensley, J. L., see Cook, L. A. 127
Herman, D. P.
——, Billiet, H. A. H. and De Galan, L.
Algorithms to correct gradient scan and transfer rule predictions of isocratic retention in reversed-phase liquid chromatography 1
Hidajat, K., see Ching, C. B. 261
Hirokawa, T.
——, Nakahara, K. and Kiso, Y.
The separation process in isotachophoresis. I. A 32-channel ultraviolet-photometric zone detector 39
——, Nakahara, K. and Kiso, Y.
The separation process in isotachophoresis. II. Binary mixtures and transient state models 51
Honour, S., see Koshinsky, H. 457
Hori, S., see Kiba, N. 177
Hradec, J., see Doležal, M. 409
Huh, D., see Sherma, J. 229
Ito, Y., see Bhatnagar, M. 317
——, Oka, H. and Slemp, J. L.
Improved cross-axis synchronous flow-through coil planet centrifuge for performing counter-current chromatography. I. Design of the apparatus and analysis of acceleration 305
Johnson, G. W., see Elvidge, D. A. 107
Jones, A. J. S., see Chloupek, R. C. 375
Kaneko, M., see Suzuki, S. 188
Keck, R. G., see Chloupek, R. C. 375
Keresztes, P., see Szabó, G. 345
Keyt, B. A., see Chloupek, R. C. 375
Khachatourians, G., see Koshinsky, H. 457
Kiba, N.
——, Hori, S. and Furusawa, M.
A post-column immobilized leucine dehydrogenase reactor for determination of branched chain amino acids by high-performance liquid chromatography with fluorescence detection 177
——, Shitara, K. and Furusawa, M.
A post-column co-immobilized galactose oxidase/peroxidase reactor for fluorometric detection of saccharides in a liquid chromatographic system 183
Kiso, Y., see Hirokawa, T. 39, 51
Kopczynski, S. L.
Multidimensional gas chromatographic determination of cotinine as a marker compound for particulate-phase environmental tobacco smoke 253
Kopečni, M. M., see Marković, M. M. 281
Koshinsky, H.
——, Honour, S. and Khachatourians, G.
Bioautographic detection of T-2 and HT-2 toxins 457
Krawczyk, W.
—— and Piotrowski, G. T.
Relationships between structure and retention index for N-substituted amides of aliphatic acids on a non-polar column 297
Krull, I. S., see Gao, C. X. 192
Krupčík, J., see Repka, D. 235, 243
Kunst, M., see Albert, K. 355
Kushwaha, S. C., see Sen, N. P. 419
Latch, G. C. M., see Tapper, B. A. 133
Lawson, D. R.
—— and Danehower, D. A.
Quantitative thin-layer chromatography of *Nicotiana tabacum* leaf surface components 429
Leclercq, P. A., see Repka, D. 235, 243
Ledl, F., see Sengl, M. 119
Leonard, C. K., see Chloupek, R. C. 375
Le Vent, S., see Akporhonor, E. E. 271
Loeper, J. M.
—— and Grob, R. L.
Determination of water in solid samples using headspace gas chromatography 365
Marković, M. M.
——, Kopečni, M. M., Milonjić, S. K. and Ćeranić, T. S.
Thermodynamics of adsorption of organics on a cobalt-modified solid obtained from colloidal silica 281
Milina, R., see Dimov, N. 159
Miller, E. G., see Cook, L. A. 127

Miller, N. T.
—— and Shieh, C.-H.
High-performance anion-exchange chromatography of proteins using aza-ether bonded silica-based phases 329
Milonjić, S. K., see Marković, M. M. 281
Möller, J., see Bitsch, R. 207
Mori, K., see Suzuki, S. 188
Murayama, M.
——, Suzuki, M. and Takitani, S.
Determination of selenium in drugs by oxygen flask combustion and ion chromatography 147
Nagy, I., see Papp, E. 222
Nakahara, K., see Hirokawa, T. 39, 51
Nakamura, Y., see Suzuki, S. 188
Nardi, L.
Use of gas chromatography in the study of the oxidative decomposition of spent organic solvents from reprocessing plants 81
Oka, H., see Bhatnagar, M. 317
——, see Ito, Y. 305
Pallos, J. P., see Szabó, G. 345
Papp, E.
—— and Nagy, I.
Reversed-phase high-performance liquid chromatographic analysis of the reaction mixture occurring in the production of synthetic diester lubricant 222
Park, J. H., see Rutan, S. C. 21
Petit, J., see Pinche, C. 201
Pinche, C.
——, Billard, J. P., Frasey, A. M., Bargnoux, H., Petit, J., Berger, J. A., Vu, B. D. and Yonger, J.
Separation and assay of N-nitroso compounds by high-performance liquid chromatography with chemiluminescence detection 201
Piotrowski, G. T., see Krawczyk, W. 297
Podojil, M., see Řezanka, T. 397
Rathor, M. N., see Ching, C. B. 261
Repka, D.
——, Krupčík, J., Benická, E., Leclercq, P. A. and Rijks, J. A.
Optimization of selectivity by tuning column temperatures for series-coupled capillary columns in dual-oven gas chromatographic systems 243
——, Krupčík, J., Brunovská, A., Leclercq, P. A. and Rijks, J. A.
Optimization of basic parameters in temperature-programmed gas chromatographic separations of multi-component samples within a given time 235
Řezanka, T.
—— and Podojil, M.
Preparative separation of algal polar lipids and of individual molecular species by high-performance liquid chromatography and their identification by gas chromatography–mass spectrometry 397
Rijks, J. A., see Repka, D. 235, 243
Rowan, D. D., see Tapper, B. A. 133
Rutan, S. C.
——, Carr, P. W., Cheong, W. J., Park, J. H. and Snyder, L. R.
Re-evaluation of the solvent triangle and comparison to solvatochromic based scales of solvent strength and selectivity 21
Saesmaa, T.
Identification and purity determination of benzathine and embonate salts of some β-lactam antibiotics by thin-layer chromatography 469
Šafařík, I.
Detection of proteolytic enzymes in fractions after liquid chromatography 212
Schwadrohn, G., see Vidal-Ollivier, E. 227
Schwartz, D. P., see Sherma, J. 229
Seaman, S. W., see Sen, N. P. 419
Sen, N. P.
——, Seaman, S. W. and Kushwaha, S. C.
Determination of non-volatile N-nitrosamines in baby bottle rubber nipples and pacifiers by high-performance liquid chromatography–thermal energy analysis 419
Sengl, M.
——, Ledl, F. und Severin, T.
Maillard-Reaktion von Rinderserumalbumin mit Glucose hochleistung-flüssigkeitschromatographischer Nachweis des 2-Formyl-5-(hydroxymethyl)pyrrol-1-norleucins nach alkalischer Hydrolyse 119
Severin, T., see Sengl, M. 119
Seymour, M.
Determination of residual dimethyl sulphate in a lipophilic bulk drug by wide-bore capillary gas chromatography 216
Sherma, J.
——, Bretschneider, W., Dittamo, M., DiBiase, N., Huh, D. and Schwartz, D. P.
Spectrometric and thin-layer chromatographic quantification of sulfathiazole residues in honey 229
Shieh, C.-H., see Miller, N. T. 329
Shitara, K., see Kiba, N. 183
Slemp, J. L., see Ito, Y. 305
Snyder, L. R., see Rutan, S. C. 21
Spellman, M. W., see Chloupek, R. C. 375
Spraul, M., see Albert, K. 355

Strege, M. A.
—— and Dubin, P. L.
Size-exclusion chromatography of cationic polyelectrolytes on Superose gel 165
Suzuki, M., see Murayama, M. 147
Suzuki, S.
——, Nakamura, Y., Kaneko, M., Mori, K. and Watanabe, Y.
Analysis of benzalkonium chlorides by gas chromatography 188
Szabó, G.
——, Csató, E., Keresztes, P. and Pallos, J. P.
Preparation and retention characteristics of different phenylpolysiloxane phases for reversed-phase liquid chromatography 345
Tabor, D. G.
—— and Underwood, A. L.
Some factors in solute partitioning between water and micelles or polymeric micelle analogues 73
Takitani, S., see Murayama, M. 147
Tapper, B. A.
——, Rowan, D. D. and Latch, G. C. M.
Detection and measurement of the alkaloid peramine in endophyte-infected grasses 133
Taylor, D. R., see Akporhonor, E. E. 271
Tindall, G. W., see Cook, L. A. 127
Tomás, M. A., see Tombesi, O. L. 452
Tombesi, O. L.
——, Tomás, M. A. and Frontera, M. A.
Thin-layer chromatographic decomposition of the picrates and trinitrobenzolates of polycyclic hydrocarbons and other organic compounds 452
Trainor, T., see Gao, C. X. 192
Underwood, A. L., see Tabor, D. G. 73
Vázquez, M. A., see García-Raso, A. 441
Vent, S. le, see Akporhonor, E. E. 271
Vidal-Ollivier, E.
——, Schwadrohn, G., Elias, R., Balansard, G. and Babadjamian, A.
Determination of the ophthalmic drug guaiazulene by high-performance liquid chromatography 227
Vos, D. de, see Emonds, A. J. G. 445
Vu, B. D., see Pinche, C. 201
Watanabe, Y., see Suzuki, S. 188
Wenzel, T. J.
——, Bonasia, P. J. and Brewitt, T.
Application of metal β-diketonate polymers as selective sorbents in complex mixture analysis and for sulfur-containing compounds 171
Yeung, E. S., see Zhu, J. 139
Yonger, J., see Pinche, C. 201
Zhu, J.
—— and Yeung, E. S.
Quantitative thin-layer chromatography by laser pyrolysis and flame ionization or electron-capture detection 139